


PD ARRAY & DEALING RANGE

INTERMEDIATE BREAKDOWN

Dealing range is the new trading range formed after buy side and sale side is taken.

PD array is the distinction between Premium to Discount inside that dealing range including the array list inside the two ranges.



Elements of a PD ARRAY LIST


Order of importance

1. Old high/low
2. Rejection block
3. Bearish/Bullish Orderblock
4. Fair Value Gap
5. Liquidity void
6. Breaker block
7. Mitigation block


OLD LOW/HIGH



OLD HIGH




BULLISH/BEARISH ORDER BLOCK



THE LOWEST OR HIGHEST CANDLE THAT HAS THE MOST RANGE
BETWEEN OPEN TO CLOSE AND IS NEAR A KEY LEVEL

REJECTION BLOCK



THE AREA IN BETWEEN THE WICK AND THE HIGH/LOW OF THE CADLE AFTER A HIGH/LOW IS FORMED. WE EXPECT FOR PRICE TO REACH THAT AREA AND FORM A REACTION FROM IT.


BEARISH REJECTION BLOCK



BULLISH REJECTION BLOCK



FAIR VALUE GAP




A RANGE IN PRICE DELIVERY WHERE ONE SIDE OF THE MARKET LIQUIDITY IS OFFERED AND TYPICALLY CONFIRMED WITH A LIQUIDITY VOID ON THE LOWER TIME FRAME.




LIQUIDITY VOID

A VOID LEFT BEHIND IN PRICE ACTION DUE TO A STRONG ONE-SIDED LIQUIDITY RUN. PRICE TYPICALLY WILL WANT TO REVISIT THE VOID TO REBALANCE THE INEFICIENCY



BREAKER BLOCK



MITIGATION BLOCK

